



PRODUCT CATALOGUE

INDEX

PRINTING MACHINE-----	03
INKS-----	10
SUBLIMATION HEAT PRESS-----	17
CUTTING PLOTTER-----	27
LAMINATION MACHINE-----	29
SUPPORT MACHINE-----	31
CNC ROUTER-----	35
LASER MACHINE-----	37
BENDER-----	41
ADVERTISING DISPLAYS-----	44
ADVERTISING MATERIALS-----	53

PRINTING

MACHINE
LARGE FORMAT



SINOTEC

XP600 PRINTER E-1801



imagen ilustrativa

EPSON XP600 head

Number of Heads 1

Resolution 720 X 1440dpi

maintop machine software

Supported formats .TIFF

Printing measures 1800mm

Water-based, eco-solvent or sublimation inks

voltage 220v

Temperature 18°C-19°C

Humidity 50-80°F

Materials Canvas, synthetic paper, vinyl, papercoated, banner fabric

XP600 PRINTER E-1802

EPSON XP600 head

Number of Heads 2

Resolution 720 X 1440dpi

maintop machine software

Supported formats .TIFF

Printing measures 1800mm

Water-based inks, eco-solvent or sublimation

voltage 220v

Temperature 18°C-19°C

Humidity 50-80°F

Materials Canvas, synthetic paper, vinyl, papercoated, banner fabric



imagen ilustrativa

XP600 PRINTER 3.2M

EPSON XP600 head

Number of heads 2

Resolution 1440dpi

Maintop machine software Formats compatible .TIFF

Printing measures 3200mm

Eco solvent inks, water based, sublimation

Voltage AC220V/50-60HZ

Drafting environment 15-30°C

Humidity 40-60%

print head cleaning

Automatic



imagen ilustrativa

i3200 E1 PRINTER E-1901

EPSON i3200E1 head

Number of heads 1

Resolution 1440dpi

Photoprint Machine Software

Weight 220kg

Printing measures 1900mm

Eco Solvent Inks I3200 (CMYK)

AC voltage 220v

Temperature 15°C-30°C

Humidity 40-60%

Infrared drying system + fan



imagen ilustrativa

i3200 E1 PRINTER E-1902



imagen ilustrativa

EPSON i3200 head

Number of heads 2

Resolution 1440dpi

Photoprint Machine Software

Weight 220kg

Printing measures 1800mm

Eco Solvent Inks I3200 (CMYK)

AC voltage 220v

Temperature 15°C-30°C

Humidity 40-60%

Infrared drying system + fan

KONICA 512i PRINTER

Printing measures 3200mm

Head KM512i-30pl (4H / 8H)

Resolution 480x360, 480x540, 720x1080,
720x1440dpi

Photo print machine software

Supported formats PSD/DWG/HPG/HGL/PS
/ EPS / JPG / TIF / BMP

Printing measures 3200mm

Solvent Inks

Power AC220 / 100W (print), 2000W (dry)

Temperature 20-27°C

Humidity 45-75% CH

Materials Canvas, vinyl, microperforated,
backlight, among others.



imagen ilustrativa

UV FLAT BED OL-9060

Maximum thickness of medium 15 cm

Head Type 2 XP600 heads

Collapsible platform printing table

Windows 7 and 10 operating system

Supported formats .PNG, .JPG, .TIFF

Work area 900x600mm

Epson UV Inks (CMYK-W)

Voltage 220V

CE certification

Type Inkjet Printer

Materials All advertising, promotional materials

decoration, metal plates, glass, boards, Materials All advertising, promotional materials



i3200 A1 PRINTER E-1802



i3200 head A1 2 heads

2Pass printing speed: 135m²/h -

4Pass:80m²/h - 6Pass:55m²/h

Printing width 1800mm

Ink type CMYK sublimation ink

Humidity 35-65%

Resolution 720 x 900dpi / 720 x 1200dpi / 720x 1800dpi

Temperature 20-35°C

Windows XP/ Window 10 operation system

Maintop Software

Voltage AC220V (±10%) 50HZ/60HZ

i3200 A1 PRINTER E-1904

Head i3200 A1 4 heads

2Pass printing speed: 135m²/h -

4Pass:80m²/h - 6Pass:55m²/h

Printing width 1900mm

Ink type Sublimation (CMYK)

Humidity 45-75%

Temperature 20-70°C

Windows XP/ Window 10 operation system

Ethernet interface

AC220v voltage

Machine size 2930x830x1600 /

3040x1080x1810 / 3350x1170x1785mm



imagen ilustrativa

DTF XP600-A3



Epson XP600-1H/2H head

Printing speed 4 pass - 9m²/h / 6 pass -

7m²/h / 8 pass - 5m²/h

Printing width 350mm

Ink type special ink for DTF (CMYK+W)

Humidity 40-70%

Printing medium PET transfer film

Temperature 20-28°C

Operation system Window XP/ Window 10

Interface USB 3.0 / USB 2.0

Voltage AC 220V (±10%) 50HZ/60HZ

Machine size 124 x 45 x 96 cm

DTF XP600 - 700



imagen ilustrativa

XP600-2H head (2 heads)

Printing speed 8 pass-12m²/h

10 passes - 14m²/h / 16 passes - 7m²/h

Printing width 600mm

Ink type special ink for DTF (CMYK+W)

Humidity 40-70%

Print Media PET Transfer Film

Temperature 20-28°C

Windows XP/ Window 10 operation system

Interface USB 3.0 / USB 2.0

Voltage AC 220V (±10%) 50HZ/60HZ

Machine size 174cm x 80.5cm x 130cm

DTF Q3-E602

Epson i3200 DTF Head

Printing speed 8 pass - 12.5m²/h

Printing width 60cm

Ink type special ink for DTF (CMYK+W)

Humidity 45-47%

Printing medium PET transfer film

Temperature 22-28°C

Windows XP/ Window 10 operation system

PSD,DWG,HPG,HGL,PS,EPS,JPG,TIF,BMP formats

Voltage AC220V (±10%) 50HZ/60HZ

Software Main top



imagen ilustrativa

INKS

SOLVENT, ECOSOLVENT
UV, SUBLIMATION, DTF



SINOTEC

ECO SOLVENT INK



imagen ilustrativa

Eco-solvent based type
Sinotec Brand
CMYK color
Digital printing type.
Capacity 1 liter
Durability 2 years approximately.
XP600 head

ECO GALAXY ORIGINAL

Eco Solvent Based Type
Galaxy brand
CMYK color
Digital printing type.
Capacity 1 liter
Durability 2 years approximately.
DX5, DX4 and DX7 head



imagen ilustrativa

SK4 INK (SEIKO/XAAR 35PL) 1LT

Solvent Based Type
CMYK color
Challenger Brand
Large format printing type.
Capacity 1 litre.
Durability 2 to 3 years approximately.
Seiko 35 PL and Xaar 35 PL headstock



imagen ilustrativa

KONICA 512i INK 14PL 1LT



imagen ilustrativa

Solvent Based Type
Yaselan Brand
CMYK color
Digital printing type.
1 liter capacity.
Durability 3 years approximately.
Konica 512i 14pl head

KONICA 512i 30PL INK ORIGINAL



imagen ilustrativa

Solvent Based Type
SINOTEC Brand
CMYK color
Large format printing type.
Capacity 5 liters
Durability 3 years approximately.
Konica 512i 30pl head

KONICA 512i 14PL INK 5LT



imagen ilustrativa

Solvent Based Type
Yaselan Brand
Color C M Y K
Large format printing type.
Capacity 5 litres.
Durability 3 years approximately.
Konica 512 14pl head

SK4 INK (SEIKO/XAAR 35PL) 5LT

Solvent Based Type
brand challenger
CMYK color
Large format printing type.
Capacity 5 litres.
Durability 2 to 3 years approximately
Seiko 35 PL and Xaar 35 PL
headstock



imagen ilustrativa

EPSON UV INK



imagen ilustrativa

EPSON Brand
CMYK+W colors
Digital printing type
Capacity 1lt
Durability 3 years approximately
EPSON head

SUBLIMATION INK



imagen ilustrativa

Base Type Water
SINOTEC Brand
CMYK color
Digital printing type.
1 liter capacity.
Durability 3 years
about.
Epson DX5, DX7, DX11 head

SUBLIMATION INK 100ML

SINOTEC brand
CMYK color
Digital printing type
Capacity 100ml



imagen ilustrativa

DTF INK

Sinotec Brand
Base Type Water
Color CMYK+W
DTF print type
Capacity 1L
Durability 50 to 60 washes
Epson XP600 Head, 4720 Head,
i3200 head



imagen ilustrativa

DTF POWDER



imagen ilustrativa

Brand OLLIN
Grain diameter 100-200 μm
Capacity 1kg
Melting point 105-115°C

SUBLIMATION

CALANDER
HEAT PRESS



SINOTEC

SUBLIMATION CALENDAR GT210



imagen ilustrativa

Dimensions 2350x1370x2330mm

Roller diameter 210 mm

Working speed 0-8m/min

fabric materials

Roller width 1700mm

Temperature 0-399°C

Time range 0-999s

Three-phase voltage

Weight 1000kg

Frequency 50/60hz

Rated output 11kw

SUBLIMATION CALENDAR GT420

Model GT420

Roller diameter 420mm

Working speed 100-120m/hr

fabric materials

Roller width 1860mm

Temperature 0-260°C

Three-phase voltage/50Hz

Weight 1000kg

Frequency 50/60hz

Power 18kw



imagen ilustrativa

HEAT PRESS 38X38




imagen ilustrativa

power 1.5kw

Weight 25kg

voltage 110v

Frequency 50/60hz

Time range 0-999s

Temperature range 0-220°C

Printing area 38x38cm

Display TypeDigital

Package size 72 x 39 x 48 cm

Materials tiles, mousepad, plates, textiles, photo frames, photo stones, puzzle and among others.

HEAT PRESS 40X60

power 1.8kw

Weight 36kg

voltage 110v

Frequency 50/60hz

Time range 0-999s

Temperature range 0-220°C

Printing area 40x60cm

Display TypeDigital

Package size 70 x 67 x 41 cm

Materials tiles, mousepad, plates, textiles, photo frames, photo stones, puzzle and among others.



imagen ilustrativa

SEMI-AUTOMATIC 25X100

power 3kw
Weight 77kg
voltage 110v
Time range 0-999s
Temperature range 0-250°C
Printing area 25x100cm
Display Type Digital
Time to warm up 10 to 15 minutes
Materials tiles, mousepad, plates, textiles,
photo frames,photo stones,puzzle
and among others.



imagen ilustrativa

SEMI-AUTOMATIC 60X80



imagen ilustrativa

power 6kw
Weight 110kg
voltage 110v
Frequency 50/60hz
Time range 0-999s
Temperature range 0-250°C
Printing area 60x80cm
Display Type Digital
Package size 70 x 67 x 41 cm
Materials tiles, mousepad, plates, textiles,
photo frames,photo stones,puzzle
and among others.

HIGH PRESSURE 80X100




imagen ilustrativa

power 6.6kw
Weight 120kg
voltage 330v
Time range 0-999s
Temperature range 0-250°C
Printing area 80X100cm
Display TypeDigital
Package size 70 x 110 x 142 cm
Materials tiles, mousepad, plates, textiles,
photo frames,photo stones,puzzle
and among others.
Time to heat up 40 minutes approx.

DOUBLE STATIONS 40X60

power 2.2kw
Weight 250kg
voltage 220v
Time range 0-999s
Temperature range 0-250°C
Printing area 40x60cm
Display TypeDigital
Time to warm up 10 to 15 minutesa
Materials tiles, mousepad, plates, textiles,
photo frames,photo stones,puzzle
and among others.
power 2.2kw



imagen ilustrativa

HEAT PRESS 40X50

Screen type Digital screen.

Time range 0 - 999s

voltage 110v

power 1800w

Temperature 0 - 250°C

Dimensions 40cm x 50cm

Time to warm up 10 -15 minutes

Time controller: digital

weight 50kg

Materials tiles, mousepad, plates, textiles, picture frames, photographic stones, puzzles and more.



PNEUMATIC HEAT PRESS




imagen ilustrativa

power 12kw

Three-phase voltage

Time range 0-399s

Temperature range 0-399°C

Printing area 80 x 100 / 100 x 120 /

120 x 160 / 120 x 180cm

Machine Type Pneumatic Heat Press
double layer (large format size)

Materials tiles, mousepad, plates, textiles, photo frames, photo stones, puzzle and among others.

Material thickness 3.8cm - 6.8cm

SUBLIMATION COMBO 5 EN 1



imagen ilustrativa

iron for t-shirt 30X38
iron for mugs
cap iron 14cm × 8.5cm
11oz mug press
2 plate presses 15cm diameter

Heating time 20-30 minutes
Temperature Range 0-200 °C
Time range 0 - 999s
voltage 110v
Digital screen
power 1300w
Resistance: commercial use

SUBLIMATION COMBO 8 EN 1

iron for t-shirt 30X38
iron for mugs
cap iron 14cm × 8.5cm
11oz mug press
12oz conical mug press
17oz conical mug press
2 plate presses

Heating time 20-30 minutes
Temperature Range 0-200 °C
Time range 0 - 999s
voltage 110v
Digital screen
power 1300w



imagen ilustrativa

MUG HEAT PRESS

280w power
Weight 4.9kg
voltage 110v
Frequency 50/60hz
Time range 0-999s
Temperature range 0-400°F
Print Area 1 11oz mug
Display Type Digital
Package size 37x35x33cm



DOUBLE MUG HEAT PRESS



700w power
Weight 13.8kg
voltage 110v
Frequency 50/60hz
Time range 0-999s
Temperature range 0-250°F
Print Area 2*11oz mug
Display Type Digital
Package size 48x40x35cm

imagen ilustrativa

5 IN 1 MUG HEAT PRESS



imagen ilustrativa

power 1500w
voltage 110v
Time range 0-999s
Temperature range 0-250°C
Imprint area 5 x 11 oz cups
Alarm type Automatic
Accuracy temperature $\pm 0.5\%$
Base Type Metal
Anti-rust coating, resistance to scratches

LOGO HEAT PRESS

power 1.8kw
Weight 12kg
voltage 110v
Time range 0-999s
Temperature range 0-200°C
Display Type Digital
Press size 15cm x 15cm



imagen ilustrativa

HAT HEAT PRESS

power 350kw

Weight 15kg

voltage 110v

Time range 0-999s

Temperature range 0-399°C

Display Type Digital

Press size 8x14cm

Package size 60 x 44 x 33cm




imagen ilustrativa

imagen ilustrativa

CUTTING PLOTTER



SINOTEC

CUTTING PLOTTER K1



imagen ilustrativa

Model KI-720 / KI-1350

SIGN MASTER machine software

Supported formats.PDF, .DXF, .CDR, .CVG, .Ai, among others

Cut measures 60cm / 130cm

Stepper motor and drive

USB / RS-232 connections

voltage 110v

Materials vinyl, paper, thin cardboard, film

thin PVC, among others.

Max Force 1.65lbs {750g (3g/step)}

Accuracy +/- 0.01mm

Engine speed 0-3500RPM

CUTTING PLOTTER SAGA

Model 720IIP, 1400IIP and 1800IIP
dragoncut machine software

Supported
formats.PDF, .DXF, .CDR, .CVG, .Aiy
among others

Cut measures 60cm, 130cm and 160cm

DC Servo Motor and Drive

USB / RS-232 connections

voltage 110v

Materials vinyl, paper, thin cardboard,
film

thin PVC, among others.

Temperature +5°C - +35°C

Accuracy +/- 0.01mm

Engine speed 0-3500RPM



imagen ilustrativa

LAMINATION

MACHINE



SINOTEC

MANUAL LAMINATION 1600M




imagen ilustrativa

Film thickness 10-250mil

Lamination width 1580mm

Lamination thickness 40mm

Roller lifting height 40mm

Manual pressure adjustment

Roller diameter 130mm

Weight 93kg

Materials photographic advertising, image of studio, screen printing, X-banner, PVC plate, KT plate, etc and laminated in the protection of the

surface such as panel, glass, sections, acrylic, wooden door etc.

Film thickness 10-250mil

LAMINATION DMS-1680A

Film roll diameter 3"

Lamination width 1580mm

Laminate thickness 28mm

Temperature 0°C-60°C

voltage 110v

heating power 1500w

Heating time 0-10min

Working speed 1-10 min (variable)

Materials photographic advertising, image of studio, screen printing, X-banner, PVC plate, plate

KT,etc and laminated on surface protection such as panel, glass, sections, acrylic, door wood etc



imagen ilustrativa

SUPPORT MACHINE



SINOTEC

MANUAL EYELET MACHINE



imagen ilustrativa

Grommets in canvas, fabric or PVC materials

Measures 10 x 26 x 50cm

Material cast steel and foam handle

Weight 15kg

Includes 2 #3 dice

SEMI-AUTO GROMMET MACHINE

Semi-automatic model for buttonholes #3

Measures 40cmx32cmx38cm

Efficiency 1800 units / hour

Weight 10kg

Work type semi-auto



imagen ilustrativa

AUTO GROMMET MACHINE

Grommets in canvas, fabric or PVC materials

Machine measurements 920 x 680 x 398 hmm

Efficiency 1800 eyelets per hour

Weight 41kg

Voltage 220v




imagen ilustrativa

THERMOSEL GUN



imagen ilustrativa

noise 65db

Air accuracy 3000Pa

Air volume 13.8m³/h

Weight 1.5kg

Maximum Power 1600w

Temperature 40° - 700°C

voltage 110v

Contents: seal gun, 1 mini roller, 2 welding nozzles and user manual
20mm and 40mm nozzles

Medidas 100mm x 330mm x 56mm

AUTOMATIC HOT AIR WELDING MACHINE



imagen ilustrativa

Measures 40cm x 20cm x 25cm

Frequency 50/60hz

Power 1800w

Air volume 21m³/h

Air pressure 2500Pa

Weight 14kg

Temperature 20° - 700°C

Voltage 110VAC/220VAC

Welding width 2 - 4cm

Walking speed 0.5-8 m/min

Welding width 2-4cm




imagen ilustrativa

CNC ROUTER

CUTTING & ENGRAVING



SINOTEC

CNC ROUTER X3-1325

power 3.2kw
 NC Studio Machine Software
 Working speed 24000r/min
 Supported formats HPGL, G-code, .u00, .mmgy.plt
 Work area 1300mm x 2500mm
 Voltage AC220v/50hz
 Cutter diameter 3.175-20mm (optional)
 water cooling
 Materials acrylic, PVC, plastic, wood, alucobond, galvanized (caliber 2 and 24)
 max speed displacement 30m/min
 MDRC NC Software




imagen ilustrativa

CNC ROUTER KT-1325



imagen ilustrativa

X / Y axis travel 1300 x 2500 mm
 Z axis travel 200mm
 Max cutting speed 28m/min
 Max engraving speed 15 m / min
 Supported formats G code * .U00 * .mmg
 Control system Weihong control card
 Compatible Software Type3 / Wentai / JDPaint
 Cooling Water cooling 3.0KW
 Voltage 220 / 50Hz
 Materials PVC, acrylic, chevron board, board density, aluminum-plastic board and others
 X / Y axis travel 1300 x 2500 mm
 Z axis travel 200mm
 Max cutting speed 28m/min

LASER

MACHINE

CUTTING AND ENGRAVING



SINOTEC

LASER ENGRAVING MACHINE OL-2030



imagen ilustrativa

Compatible formats Work directly from Corel™

Work area 300mm x 200mm

Voltage 220v/110V

USB connection type

Software K40 WHISPERER

Accuracy <0.01mm

Overall resolution 0.025mm

Laser power 40w laser tube

Materials Acrylic, glass, leather, fabric, MDF, paper, plastic, rubber, wood, other non-metallic (maximum cut 3mm thick)

Transmission Belt system

Software K40 WHISPERER

LASER ENGRAVING MACHINE OL-4060

Supported formats DST,PLT,BMP,DXF,AI,JPG, JPEG,PSD

Work area 400mm x 600mm

Voltage 220v/110V

Laser type CO2 glass laser tube

Temperature 0-45°C

Humidity 5-95%

Cooling By circulating water and the system protection

laser power 60w

RDworks Software

Materials Acrylic, MDF, Plastic, Wood, Vinyl, Fabric, Paper, among others



imagen ilustrativa

LASER ENGRAVING MACHINE OL-6090

Supported formats DST,PLT,BMP,DXF,AI,JPG,

JEPG,PSD

Work area 600mm x 900mm

Voltage 220v/110V

Laser type CO2 glass laser tube

Temperature 0-45°C

Humidity 5-95%

Cooling By circulating water and the system protection

laser power 100w

RDworks Software

MaterialsAcrylic, MDF, Plastic, Wood, Vinyl,

Fabric, Paper, among others



imagen ilustrativa

LASER ENGRAVING MACHINE 1390 ECO




imagen ilustrativa

Supported formats DST,PLT,BMP,DXF,AI,JPG,

JEPG,PSD

Work area 1300mm x 900mm

Voltage 220v/110V

Laser type CO2 glass laser tube

Temperature 0-45°C

Humidity 5-95%

Cooling By circulating water and the system protection

laser power 80w

RDworks Software

MaterialsAcrylic, MDF, Plastic, Wood, Vinyl,

Fabric, Paper, among others

LASER ENGRAVING MACHINE 1390N



imagen ilustrativa

Supported formats DST,PLT,BMP,DXF,AI,JPG, JPEG,PSD

Work area 1300mm x 900mm

Voltage 220v/110V

Laser type CO2 glass laser tube

Temperature 0-45°C

Humidity 5-95%

Cooling By circulating water and the system protection

laser power 130w

RDworks Software

MaterialsAcrylic, MDF, Plastic, Wood, Vinyl, Fabric, Paper, among others

FIBER MARK MACHINE

Laser type Fiber

EzCad Machine Software

Work area 140mmx140mm

Supported formats BMP,JPG, PLT, DST, AI and DXF

Working speed3,600mm/s

Voltage 220v/110V

Temperature 0 - 45°C

Humidity 0 - 45%

Laser power 30w / 50W

EzCad-Software

Steel Structure

Air cooling system



imagen ilustrativa

BENDER

LETTER & ACRYLIC



SINOTEC

LETTER BENDING MACHINE EKLH-L3



imagen ilustrativa

Material thickness 0.4-1mm
 EKLH bending software
 Groove degree 45° - 135°
 Air pressure 0.3-08Mpa
 Saw grooving system
 Servo control 3-axis servo control
 power 1500w
 Materials 4Aluminum, aluminum with
 sheet
 Material width 15-110mm
 .dxf, .ai and .plt formats
 AC220v voltage
 Material thickness 0.4-1mm

MANUAL ACRYLIC BENDING MACHINE

Thermal Foaming
 power 1000w/1500W
 Voltage AC220V
 MaterialsStainless steel,galvanized sheet,
 sheet iron, aluminum and other materials
 metal plates
 Length:≤650mm/≤1250mm
 Thickness: < 10mm
 Packing size:1250*410*185mm
 G.W.:23KG




imagen ilustrativa

MANUAL ACRYLIC BENDING MACHINE



Heater tube 2 x 3000w
 Bending limit 1200mm(width)
 (unlimited length)
 voltage 220v
 power max-3600w
 Materials Acrylic, plastic,
 polycarbonates, PVC and
 polypropylene.

imagen ilustrativa

AUTOMATIC ACRYLIC BENDING MACHINE

Heater tube 2 x 3000w
 Bending limit 1200mm(width)
 (unlimited length)
 voltage 220v- 50-60hz
 power 1*1000w
 Materials Acrylic, plastic,
 polycarbonates, PVC and
 polypropylene.



imagen ilustrativa

ADVERTISING DISPLAYS



SINOTEC

MINI X-BANNER WHITE

Size 31x46cm

Materials PVC

- This structure contains 4 tensioners and an extra bar to generate stability for the display.
- The X-banner supports advertising banners usually canvas or fabric.




imagen ilustrativa

MINI X-BANNER TRANSPARENT

Size 31x46cm

Material PVC





imagen ilustrativa

- This structure contains 4 tensioners and an extra bar to generate stability for the display.
- The X-banner supports advertising banners usually canvas or fabric.

X-BANNER



Size 80cm x 1,80m y 60cm x 1.60m

Material fiberglass and PVC

- This structure contains 4 tensioners and an extra bar to generate stability for the display.
- The X-banner supports advertising banners usually canvas or fabric.

X-BANNER BACKPACK

Size 120 x 45 cm

Material Polyester, carbon fiber and aluminum

- Lightweight backpack, includes space to store brochures.
- Easy armed.




imagen ilustrativa

FLAG BACKPACK

Size 120 x 40cm

Material Nylon and Aluminum

- Light backpack, includes slowly to store brochures.
- Easy assembled to store.



imagen ilustrativa

FLOOR DISPLAY



imagen ilustrativa

Size 3m

Material PVC

Parts included base, pole and support for flag

- Outdoor structure made of PVC
- that has a refillable base (water or sand).
- Does not include fabric

FLAG DISPLAY 3M



imagen ilustrativa

Size 3m

Material PVC

Parts included base, pole and bracket for flag

Outdoor structure made of PVC

It has a refillable base (water or sand).

Does not include fabric

FLAG DISPLAY 5M

Size 500 x 126cm

Base 78 x 78cm

Material aluminum

- Outdoor structure that has four containers for filling with water and that way have enough stability.
- It has a great visual impact and rotates on its axis to air movement.
- Does not include fabric



imagen ilustrativa

CATALOG DISPLAY

Measures 145 x 26 x 33cm

Material Steel

- With the pop-up design, it can be mounted and disassemble in seconds.
- Manufactured with an aluminum frame and clear plastic inserts.
- Selection of high resistance support with reinforced screws to ensure that the frame more stable.
- Used mainly as: banks, bars, restaurants, department stores, etc.




imagen ilustrativa

POP BANNER




imagen ilustrativa

Measures 2.30m x 2.30m x 35cm

Material Aluminum

- Made of anodized aluminum with perimeter velcro, high-strength plastic connectors impact, click-locks; ideal for printing on canvas or sublimated fabric.
- Includes carrying case

ROLL UP



Size 80cmx200cm /85cmx200cm

Material Anodized aluminum


- High impact displays.
- Elegant, easy to transport, very easy to install and uninstall.
- Includes briefcase.

PVC DEMO STAND

Size 80cmx1,80m

Material PVC

- Classic Demo Stand is made up of a PVC body, upper, lower and central trays of thermoformed plastic and a carrying case.
- The Printing Option: Printing on vinyl 1200 and 720 dpi with and without laminate.



ALUMINUM DEMO STAND

Size 80cmx1,80m

Material PVC

- Folding Demo Stand, made of PVC reinforced with aluminum, upper PVC tray, lower and central wooden tray and carrying case.





imagen ilustrativa

THIN LIGHT BOX



Measurements: 40cm x 60cm, 50cm x 70cm,

70cm x 1.20m and 60cm x 90cm

material: aluminum

- Indoor use only
- LED light lighting around the perimeter
- Responsible use with spending of 70% less energy

imagen ilustrativa

ROUND LIGHT BOX



imagen ilustrativa

Measurements 50cm and 60cm

Material aluminum and PVC

- Outdoor use only
- LED light lighting around the perimeter
- Responsible use with spending of 70%

less energy

RECTANGULAR LIGHT BOX

Measurements 40cm x 60cm and
50cm x 70cm

Material aluminum and PVC

- Outdoor use only
- LED light lighting around the perimeter
- Responsible use with spending of 70%

less energy



imagen ilustrativa

ADVERTISING MATERIALS



SINOTEC

FRONTLIT FLEX BANNER 100Z



imagen ilustrativa

Material PVC
 Size 3.20 x 50m
 Ink Type solvent / eco-solvent
 Composition 10oz
 Spec 300*500 18*12
 Color White
 Glossy
 Durability 1 year approx. outdoors

FRONTLIT FLEX BANNER 120Z

Material PVC
 Size 3.20 x 50m
 Gramaje 340grs/m²
 Composition 12oz
 Spec 500*500 9*9
 Color White
 Glossy
 Durability 1 year approx. outdoors




imagen ilustrativa

FRONTLIT FLEX BANNER 130Z

Material PVC

Size 1.10m, 1.60m, 2.02m, 2.10m, 2.20m, 2.50m, 3.20m x 50m

Grammage 370grs/m²

Composition 130z

Ink Type Solvent / Eco-solvent

Color White

Glossy / matte finish only on 320cm canvas

Durability 1 year approx. outdoors




imagen ilustrativa

BLACK BACKED CANVAS 130Z



imagen ilustrativa

Size 3.2 x 50m

Grammage 370grs/m²

Composition 130z

Glossy (black backing)

Durability 1 year approx. outdoors

Ink Type Solvent / Eco-solvent

BACKLIGHT FLEX BANNER




imagen ilustrativa

Material Polyester fabric

Size 3.20 x 50m

Grammage 370grs/m²

Printing Type Digital

Ink Type Solvent / Eco-solvent

Color White

Glossy

Durability 1 year approx. outdoors

REFLECTIVE BANNER

Material PVC and polyester

Size 1.5 x 50m

Grammage 370gr/m²

Composition 13oz

Spec 500*500 9*9

Color White

Glossy

Durability 1 year approx. outdoors




imagen ilustrativa

MESH BANNER

Material Coated PVC Mesh PVC liner

Size 3.20 x 50m

Grammage 370gr/m²

Ink Solvent Ink, Eco-solvent, Latex, Screen Printing and UV curing

Spec 1000*1000 9*9

Color White

Glossy

Durability 1 year approx. outdoors




imagen ilustrativa

WHITE VINYL OLLIN 120GR



imagen ilustrativa

Brand: Ollin

Glue: White (Glossy/Matte)

Grammage: 120gr

Size 1.52 x 50m

WHITE VINYL E-JET 120GR



imagen ilustrativa

Brand: E-jet

Glue: White (Glossy/Matte)

Grammage: 120gr

Size 1.52 x 50m

WHITE VINYL OLLIN 140GR



imagen ilustrativa

Brand: Ollin

Glue: White (Glossy/Matte)

Grammage: 140gr

Size 1.52 x 50m

WHITE VINYL E-JET 140gr

Brand: E-jet

Glue: White (Glossy/Matte)

Grammage: 140gr / 1.27gr / 1.37gr

Size 1.52 x 50m



imagen ilustrativa

TRANSPARENT VINYL




imagen ilustrativa

PVC film

Size 1.52 x 50m

Grammage 140grs/m²

Ink Solvent, ecosolvent

Printing Digital

Color Transparent

Glossy

Durability 1 year approx. outdoors

VINYL GLUE BLACK



imagen ilustrativa

PVC film 80 microns

Brand Ollin

Size 1.52 x 50m

Grammage 140grs/m²

Ink Solvent/ecosolvent

Black, permanent, removable adhesive

Color White

Mate or glossy

Durability 1 year approx. outdoors

ONE WAY VISION

Transparent Adhesive (solvent based)

Size 1.27, 1.37, 1.52 x 50m

Grammage 140grs/m²

Ink Type Solvent, ecosolvent

Printing Digital

Color White

Durability 1 year approx. outdoors




imagen ilustrativa

ELECTROSTATIC VINYL

Material PVC

Size 1.52 x 50m

Grammage 180grs/m²

Ink Type Solvent, ecosolvent

Digital printing, screen printing, UV

Color White or transparent

Glossy

Durability 1 year approx. outdoors



imagen ilustrativa

VINYL FLOOR GRAPHICS




imagen ilustrativa



Material PVC film

Size 1.52 x 50m

190/7.4 mic/mil

Backing type Silicon paper
pressure sensitive latex adhesive

Color White

Mate

Durability 3 to 6 months under normal conditions

SUBLIMATION PAPER 100GR




imagen ilustrativa

Material Paper

Size 1.12m x 100m

1.62m x 100m

Grammage 100 g/m² (1.12cm x 100cm /
160 g/ m² (1.62cm x 100cm))

Color White

Mate

Quick dry type

SUBLIMATION PAPER 70GR

Material Paper

Size 1.62m x 200m

Grammage 70 g/m² (1.62cm x 200cm)

Color White

Mate

Quick dry type




imagen ilustrativa

SUBLIMATION PAPER 50GR

Material Paper

Size 1.62m x 300m

Grammage 50 g/m² (1.62cm x 300cm)

Color White

Mate

Quick dry type




imagen ilustrativa

SUBLIMATION PAPER A4




imagen ilustrativa

Brand Ollin

Material Paper

Size A4 (210 x 297mm)

Grammage 110 g/m²

Color White

Respaldo Azul

Mate

Quick dry type

Quantity per pack 100 sheets

PET FILM ROLL FOR DTF




imagen ilustrativa

PET material

Dimensions 0.30x10 / 0.60x10m

Weight 3.6 / 7kg

Transparent color (colorless)

Matte finish on one side, glossy on the other (the matte side is the printing side)

Printing type heat transfer

Water-based ink type for DTF

Durability 50 to 60 washes

Ink transfer 98% transferable

MANUAL EYELETS

Material stainless steel

Quantity 500 pcs (eyelet and counter)

Weight 200 grams.

Measurements #3

Use to eyelet canvas, vinyl, foamboard, among others



imagen ilustrativa

SEMIAUTOMATIC EYELETS

Material stainless steel

Quantity 1000pcs

Weight 500 grams.

Measurements #3

Use to eyelet canvas, vinyl, foamboard, among others

Note It is sold with contra and only works with the semi-automatic eyelet machine



imagen ilustrativa

AUTOMATIC EYELETS



imagen ilustrativa

Material stainless steel

Quantity 1000pcs

Weight 500 grams.

Measurements #5

Use to eyelet canvas, vinyl, foamboard, among others

ALUMINUM ROLL WITH WHITE PLATE




imagen ilustrativa

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

White color

Smooth Finish

Applications To make letters or figures3D

WHITE ALUMINUM ROLL




imagen ilustrativa

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

White color

Smooth Finish

Applications To make letters or figures3D

ALUMINUM ROLL WITH GOLDEN PLATE

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

Golden colour

brushed finish

Applications To make letters or figures 3D




imagen ilustrativa

GOLDEN ALUMINUM ROLL




imagen ilustrativa

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

Golden colour

brushed finish

Applications To make letters or figures 3D

ALUMINUM ROLL WITH SILVER PLATE




imagen ilustrativa

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

Golden colour

brushed finish

Applications To make letters or figures 3D

SILVER ALUMINUM ROLL




imagen ilustrativa

Material aluminum

Dimensions 6cm x 50m / 10cm x 50m

22 gauge

Golden colour

brushed finish

Applications To make letters or figures 3D

RUBBER FOR STAMPS



imagen ilustrativa

Material rubber

Dimensions 28.8cm x 21cm x 2.33mm

Red color

Applications Engravings for stamps
note sold per sheet

SUBLIMATION MUG

Ceramic materials

Capacity 11oz (325ml)

Dimensions 9.5cm(height) x 8cm
(diameter)

Weight 340g

Sublimation printing type

AA quality

White color

Quantity per box 36 pcs



imagen ilustrativa

MAGIC MUG

Ceramic materials

Capacity 11oz (325ml)

Dimensions 9.5cm (height) x 8cm
(diameter)

Weight 340g

Sublimation printing type

AA quality

Color Red, blue, black

Quantity per box 36 pcs

Applying hot water reveals the
design that has printed



imagen ilustrativa

COLOR MUG



imagen ilustrativa

Ceramic materials

11oz capacity

Dimensions 9.5cm (height) x 8cm
(diameter)

Weight 340g

Sublimation printing type

AA quality

SPORTS BOTTLE

Material Aluminum
Capacity 750ml
Dimensions 25cm (height) x 7.1cm (diameter)
Printing type sublimation, screen printing, laser engraving
White color
Glossy finish
Quantity per box 24 pcs
Includes hook for hanging and airtight cap



imagen ilustrativa

COKER CAN



imagen ilustrativa

Material-metal
Capacity 350ml and 600ml
Glossy finish
Printing type sublimation, laser engraving
sublimation, pad printing
Silver colour
Quantity per box 60 and 24 pcs

GLDEN SUBLIMATION MUG



imagen ilustrativa

Ceramic materials

Capacity 11oz (325ml)

Dimensions 9.5cm (height) x 8cm (diameter)

Weight 340g

Sublimation printing type

AA quality

Golden colour

Quantity per box 36 pcs

SILVER SUBLIMATION MUG

Ceramic materials

Capacity 11oz (325ml)

Dimensions 9.5cm (height) x 8cm (diameter)

Weight 340g

Sublimation printing type

AA quality

Color Silver

Quantity per box 36 pcs



imagen ilustrativa

SATIN GLASS MUG

Crystal material

Capacity 500ml

Dimensions 15cm (height) x 8cm (diameter)

Sublimation printing type

Satin Finish

Color Transparent (colorless)

Quantity per box 24 pcs



imagen ilustrativa

SATIN GLASS MUG



imagen ilustrativa

Crystal material

Capacity 11oz (325ml)

Dimensions 9.5cm (height) x 8cm (diameter)

Weight 340g

Sublimation printing type

Satin Finish

Color Transparent (colorless)

Quantity per box 36 pcs

KT BOARD/PAPER FOAM BOARD

Professional Custom Shape KT Foam
Board Display
Material Vinyl Self Adhesive, PVC, 3M etc

Full color print CMYK
Size 700*1000mm, 900*2400mm,
1200*2400mm or customized
Digital Printed
Advantages high resolution, durable



imagen ilustrativa

ABS DOUBLE COLOR SHEET



imagen ilustrativa

Laser engravable sheet
More than 200 colors
Size 1200*600mm, or customized

Thickness 0.8mm, 1.3mm, 1.5mm,
2mm or customized

Usage indoor, outdoor optional

Protecting PET film

Processing method Laser engraving &
cutting, Rotary engraving & cutting,
sawing, bending

EVA FOAM BOARD

Crystal material
Capacity 500ml
Dimensions 15cm (height) x 8cm (diameter)
Sublimation printing type
Satin Finish
Color Transparent (colorless)
Quantity per box 24 pcs




imagen ilustrativa

PVC FOAM BOARD



imagen ilustrativa

PVC foam sheet for advertising/
PVC celuka sheet for furniture
Size 1220*2440mm (4*8ft)/
1560*3050mm/2050*3050mm or
Customized available
Thickness 1~40mm
Density 0.3~0.9g/cm³
Color white, black, red, blue, green,
yellow, gray, pink, purple, any color



Products For The Graphic Areas

Supplies

Vinyl Banners

Printer

DTF

Heat press

Laser engraving

The Best Prices On The Market

Add: Room 2303, North Tower, Times New World Center, Tianhe District, Guangzhou.



www.sinodigitech.com



SINOTEC

branch in Mexico SINOSUPPLY

www.sinodigitech.com



Sino Supply



@sinosupplycdmx



Sino Supply Guadalajara



@sinosupply_gdl



Sino Supply Queretaro



@sinosupply_queretaro



Sino Supply Monterrey



@sinosupply_monterrey



Sino Supply Puebla



@sinosupply_puebla



www.sinosupply.com.mx



Sino Supply

PRECIOS DEFABRICA

PRODUCTOS DE CALIDAD

CDMX: Álvaro Obregón #81, Col. Santa Anita, Del. Iztacalco, Ciudad de México, C.P. 08300

CDMX: Calle 5 de febrero #498, Colonia Algarín, Del. Cuauhtémoc, C.P. 06880

GDL: Calz. Lázaro Cárdenas 2785, Alamo Industrial, C.P. 45593 Guadalajara, Jal.

MTY: Volcán de Ajusco, Los Urdiales, C.P. 64430, Monterrey, Nuevo León.

QRO: Calle Nicolás Bravo #130, fraccionamiento las Rosas, C.P. 76164, Querétaro

PUE: Av. 13 Ote #2001, colonia Azcarate, C.P. 72000, Puebla, Puebla

TAB: Av. Antimonio, S/N Bodega 6, Col. Ciudad Industrial, C.P. 86010, Villahermosa, México.

CHIH: Avenida de las Industrias #5909, Col. Nombre de dios (zona industrial nombre de Dios)

C.P. 31150, Ciudad chihuahua, chihuahua, México.

CDMX Tel: 55 5440-1751 / 55 5440-0933

CDMX Tel: 55 1108 7490

GDL Tel: 33 2902 9555 / 33 3852 6627

33 3654 8260

MTY Tel: 81 1091 5692 / 81 1091 5693

QRO Tel: 44 2245 7340

PUE Tel: 22 2550 8221

TAB Tel: 777 744 4444 / 993 598 3178

CHIH Tel: 614 239 7858 / 614 394 3269